



Contents lists available at ScienceDirect

Journal of King Saud University – Science

journal homepage: www.sciencedirect.com

Original article

Traveling wave solutions of conformable time-fractional Klien-Fock-Gordon equation by the improved $\tan(\Psi(\zeta)/2)$ -expansion methodGhazala Akram^a, Maasoomah Sadaf^a, Saima Arshed^a, Fizza Sameen^a^a Department of Mathematics, University of the Punjab, Lahore 54590, Pakistan

ARTICLE INFO

Article history:

Received 28 June 2021

Revised 15 September 2021

Accepted 4 January 2022

Available online 10 January 2022

Keywords:

Improved $\tan(\Psi(\zeta)/2)$ -expansion method

Conformable derivative

Time-fractional Klien-Fock-Gordon equation

Trigonometric solutions

Exponential solutions

Hyperbolic solutions

Rational solutions

ABSTRACT

This paper considers the improved $\tan(\Psi(\zeta)/2)$ -expansion method to retrieve the traveling wave solutions of the time-fractional Klien-Fock-Gordon equation. The quadratic case has been discussed for the proposed model. The conformable derivative has been applied on the proposed model for investigating the fractional effects. As a result, abundant traveling wave solutions are found. The method contributes four kinds of solutions which are exponential, hyperbolic, trigonometric and rational function solutions for the aforementioned model. The obtained results are also explained graphically for some particular choices of fractional order $\alpha, 0 < \alpha < 1$. The fractional effects on solutions have been illustrated through 3D plots and line graphs.

© 2022 The Authors. Published by Elsevier B.V. on behalf of King Saud University. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

1. Introduction

The Klien-Fock-Gordon equation (KFG) models various physical phenomena in quantum field theory, condensed matter physics, nonlinear equations, correlation of solitons, collisionless plasma and theory of relativity etc. It was established by Osker Klien, Vladimir Fock and Walter Gordon for determining relativistic electrons. This equation is calibrated version of the relativistic energy-momentum correspondence. It is associated with Schrödinger equation and also referred to as relativistic wave equation.

In recent times, various research scholars of science and telecommunication have taken fractional order mathematical models under consideration. Fractional calculus has become a pre-eminent tool to analyze and characterize the nonlinear complex phenomena. Many partial differential equations (PDEs) that exhibit different physical phenomena are remodeled in terms of fractional

derivative and their behavior is observed along with their solutions by developed methods (Akgül, 2018; Mamun et al., 2021). Fractional differential equations are widely studied in engineering mathematics and their fractional effects are observed for particular choices of fractional order parameters (Shahen et al., 2020; Shahen et al., 2021; Mamun et al., 2021; Hosseini et al., 2020).

This study considers the conformable time-fractional form of the Klein-Fock-Gordon equation (Alam et al., 2021)

$$q_{tt}(x, t) + \omega_1 q_{xx}(x, t) + \omega_2 q(x, t) + \omega_3 q^r(x, t) = 0 \quad (1.1)$$

is investigated for its quadratic state $r = 2$. Many efforts have been made to extract closed form and approximate solutions of KFG equation by employing different mathematical techniques till now. The homotopy analysis method is applied to obtain approximate analytical solutions in Khan and Rasheed (2015), the differential transform method is implemented in Kanth and Aruna (2009) for special cases of KFG model ($\omega_2 = 0, \omega_3 \neq 0$ and $\omega_2 \neq 0, \omega_3 = 0$). Many true invariant solutions are found in Álvarez et al. (2012) by Lie-symmetry method. Similarly, many other techniques are used for solving KFG equation, such as q-homotopy analysis transform method (q-HATM), modified (G'/G)-expansion method, Kudryashov-expansion method, He's variational iteration method and Nikiforov-Uvarov method etc. Veerasha et al. (2020), Aero et al. (2013), Aruna and Kanth (2014), Kragh (1984) and Asaduzzaman et al. (2020).

E-mail addresses: maasoomah.math@pu.edu.pk (M. Sadaf), saima.math@pu.edu.pk (S. Arshed)

Peer review under responsibility of King Saud University.



Production and hosting by Elsevier

<https://doi.org/10.1016/j.jksus.2022.101822>

1018-3647/© 2022 The Authors. Published by Elsevier B.V. on behalf of King Saud University.

This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Keeping in view the importance of fractional effects, the conformable time-fractional Klien-Fock-Gordon equation is solved to construct solitary wave solutions by $\tan(\Psi(\zeta)/2)$ method for quadratic state. The conformable fractional derivative is an extension of Caputo derivative and provides a new designated memory length. It coincides with classic definition of first derivative for $\alpha = 1$. Furthermore, the conformable derivative satisfies the property of product rule, chain rule and quotient rule of two functions which is not usually satisfied by all the fractional derivative (Zheng et al., 2019). The real applications of the conformable time-fractional form of the Klein-Fock-Gordon equation include the study of different varieties of matter, spread of deviation in crystals, properties of fundamental particles and the effects and preservation of inherited memory.

Various mathematical techniques have been developed to construct the traveling wave solutions of nonlinear evolution equations (NLEEs). Some recently proposed methods include $\exp(-\phi(\zeta))$ -expansion method (Elboree, 2020), generalized projective Riccati equations method (Akram et al., 2021), modified auxiliary equation mapping method (Sajid and Akram, 2021), Legendre-homotopy analysis method (Sadaf and Akram, 2020), first integral method (Lu, 2012), extended rational sine-cosine method (Mahak and Akram, 2019), ϕ^6 -expansion method (Sajid and Akram, 2020), modified extended tanh-function method (Mamun et al., 2020; Alam et al., 2021) and several others. Various nonlinear partial differential equations have been solved to extract traveling wave solutions for studying real world phenomena (Hosseini et al., 2021; Hosseini et al., 2021; Mamun et al., 2018). From the past few decades, a variety of NLDEs have been considered for modeling complex nonlinear physical problems and their solutions have diverse applications in different fields of nonlinear sciences (Mamun et al., 2021; Ananna and Mamun, 2020; Mamun et al., 2019; Mamun and Asaduzzaman, 2019).

This article appraises the $\tan(\Psi(\zeta)/2)$ -expansion method that was first introduced by Manafian and Lakestani (2015) in 2015. This is a powerful method and has been used to obtain closed form solution of many nonlinear PDEs with accuracy. The method possesses more novel solutions with wider range of implementation to deal with NLEEs. The method has been applied to a variety of NLEEs for finding their closed form solutions. A few of which are the time-fractional Kuramoto-Sivashinsky equation (Manafian and Foroutan, 2017), $(2 + 1)$ -dimensional KP-BBM wave equation (Khan et al., 2018), Biswas-Milovic equation (Manafian and Lakestani, 2016), Gerdjikov-Ivanov equation (Manafian and Lakestani, 2016) and generalised Hirota-Satsuma coupled KdV (HSKdV) equation (Özkan and Yaşar, 2020).

This paper is coordinated as follows: In Section 2, the proposed model is introduced. In Section 3, the improved $\tan(\Psi(\zeta)/2)$ -expansion method is described. In Section 4, mathematical analysis is applied on quadratic KFG equation with conformable derivative. In Section 5, graphical illustration of some solutions is given. The conclusion is presented in Section 6.

2. Governing model

The quadratic conformable time-fractional KFG equation is considered, as

$$D_t^{2\alpha} q(x, t) + \omega_1 q_{xx}(x, t) + \omega_2 q(x, t) + \omega_3 q^2(x, t) = 0, \quad 0 < \alpha < 1, \tag{2.1}$$

where D_t^α is a fractional derivative of conformable type. The variables x and t shows spatial and temporal evolution respectively and ω_1, ω_2 and ω_3 are non-zero constants.

Conformable Derivative A new definition of conformable fractional derivative was proposed by Khalil et al. (2014) in 2014.

The conformable derivative of function $g : [0, \infty)$ of fractional order α , where $g = g(t)$ is defined on the positive half plane is expressed, as

$$D_t^\alpha g(t) = \lim_{\epsilon \rightarrow 0} \frac{g(t + \epsilon t^{1-\alpha}) - g(t)}{\epsilon} \tag{2.2}$$

for all $t > 0, \alpha \in (0, 1)$.

Properties Following properties are satisfied:

1. $D_t^\alpha (ag + bh) = a(D_t^\alpha g) + b(D_t^\alpha h)$, for all $a, b \in \mathbb{R}$.
2. $D_t^\alpha (t^p) = p t^{p-\alpha}, \forall p \in \mathbb{R}$.
3. $D_t^\alpha (\lambda) = 0, \forall \text{constant functions } g(t) = \lambda$.
4. $D_t^\alpha (gh) = gD_t^\alpha (h) + hD_t^\alpha (g)$.
5. $D_t^\alpha \left(\frac{g}{h}\right) = \frac{gD_t^\alpha (h) - hD_t^\alpha (g)}{h^2}$.
6. If g is differentiable then, $D_t^\alpha (g)(t) = t^{1-\alpha} \left(\frac{dg}{dt}(t)\right)$.

Theorem The following property is satisfied by conformable differentiable function $g : (0, \infty)$ and a differentiable function h determined in the range of g

$$D_t^\alpha (g \circ h)(t) = t^{1-\alpha} h'(t) g'(h(t)),$$

where \prime denotes the derivative with respect to α .

3. Description of Improved $\tan(\Psi(\zeta)/2)$ -Expansion Method

In this section, the improved $\tan(\Psi(\zeta)/2)$ -expansion method (Manafian and Lakestani, 2016) is briefly described. The nonlinear partial differential equation is considered in the form

$$\Omega(u, u_t, u_x, u_{tt}, u_{xt}, u_{xx}, \dots) = 0, \tag{3.1}$$

where Ω is a polynomial in $u(x, t)$ and its partial derivatives. This technique requires the following steps to be taken.

Step 1: The traveling wave transformation is considered, as

$$u(x, t) = U(\zeta), \quad \zeta = x - vt, \tag{3.2}$$

where ζ is wave variable. The speed of wave is denoted by the constant v that is to be evaluated. Eq. (3.1) is transformed into ODE, as

$$Q(U, U', -vU', U'', v^2U, \dots) = 0. \tag{3.3}$$

Step 2: Eq. (3.3) has solution of the form

$$U(\zeta) = R(\Psi) = \sum_{i=0}^k \alpha_i \left[c + \tan\left(\frac{\Psi(\zeta)}{2}\right) \right]^i + \sum_{i=0}^k \beta_i \left[c + \tan\left(\frac{\Psi(\zeta)}{2}\right) \right]^{-i}, \tag{3.4}$$

where $\alpha_i (0 \leq i \leq k)$ and $\beta_i (0 \leq i \leq k)$ are constants to be found. The function $\Psi = \Psi(\zeta)$ satisfies the relation

$$\Psi'(\zeta) = l \sin(\Psi(\zeta)) + m \cos(\Psi(\zeta)) + n. \tag{3.5}$$

Eq. (3.5) provides the following families of solutions (Akram et al., 2021).

Family 1: If $l^2 + m^2 - n^2 < 0$ and $m - n \neq 0$, then

$$\Psi(\zeta) = 2 \arctan \left[\frac{l}{m-n} - \frac{\sqrt{n^2 - m^2 - l^2}}{m-n} \tan \left(\frac{\sqrt{n^2 - m^2 - l^2}}{2} (\zeta + C) \right) \right]. \tag{3.6}$$

Family 2: If $l^2 + m^2 - n^2 > 0$ and $m - n \neq 0$, then

$$\Psi(\zeta) = 2 \arctan \left[\frac{l}{m-n} + \frac{\sqrt{m^2+l^2-n^2}}{m-n} \tanh \left(\frac{\sqrt{m^2+l^2-n^2}}{2} (\zeta+C) \right) \right]. \tag{3.7}$$

Family 3: If $l^2 + m^2 - n^2 > 0, m \neq 0$ and $n = 0$, then

$$\Psi(\zeta) = 2 \arctan \left[\frac{l}{m} + \frac{\sqrt{m^2+l^2}}{m} \tanh \left(\frac{\sqrt{m^2+l^2}}{2} (\zeta+C) \right) \right]. \tag{3.8}$$

Family 4: If $l^2 + m^2 - n^2 < 0, n \neq 0$ and $m = 0$, then

$$\Psi(\zeta) = 2 \arctan \left[\frac{-l}{n} + \frac{\sqrt{n^2-l^2}}{n} \tanh \left(\frac{\sqrt{n^2-l^2}}{2} (\zeta+C) \right) \right]. \tag{3.9}$$

Family 5: If $l^2 + m^2 - n^2 > 0, m-n \neq 0$ and $l = 0$, then

$$\Psi(\zeta) = 2 \arctan \left[\sqrt{\frac{m+n}{m-n}} \tanh \left(\frac{\sqrt{m^2-n^2}}{2} (\zeta+C) \right) \right]. \tag{3.10}$$

Family 6: If $l = 0$ and $n = 0$, then

$$\Psi(\zeta) = \arctan \left[\frac{e^{2m(\zeta+C)} - 1}{e^{2m(\zeta+C)} + 1}, \frac{2e^{m(\zeta+C)}}{e^{2m(\zeta+C)} + 1} \right]. \tag{3.11}$$

Family 7: If $m = 0$ and $n = 0$, then

$$\Psi(\zeta) = \arctan \left[\frac{2e^{l(\zeta+C)}}{e^{2l(\zeta+C)} + 1}, \frac{e^{2l(\zeta+C)} - 1}{e^{2l(\zeta+C)} + 1} \right]. \tag{3.12}$$

Family 8: If $l^2 + m^2 = n^2$, then

$$\Psi(\zeta) = -2 \arctan \left[\frac{(m+n)(l(\zeta+C)+2)}{l^2(\zeta+C)} \right]. \tag{3.13}$$

Family 9: If $l = m = n = il$, then

$$\Psi(\zeta) = 2 \arctan [e^{il(\zeta+C)} - 1]. \tag{3.14}$$

Family 10: If $l = n = il$ and $m = -il$, then

$$\Psi(\zeta) = -2 \arctan \left[\frac{e^{il(\zeta+C)}}{-1 + e^{il(\zeta+C)}} \right]. \tag{3.15}$$

Family 11: If $n = l$, then

$$\Psi(\zeta) = -2 \arctan \left[\frac{(l+m)e^{m(\zeta+C)} - 1}{(l-m)e^{m(\zeta+C)} - 1} \right]. \tag{3.16}$$

Family 12: If $l = n$, then

$$\Psi(\zeta) = 2 \arctan \left[\frac{(m+n)e^{m(\zeta+C)} + 1}{(m-n)e^{m(\zeta+C)} - 1} \right]. \tag{3.17}$$

Family 13: If $n = -l$, then

$$\Psi(\zeta) = 2 \arctan \left[\frac{e^{m(\zeta+C)} + m - l}{e^{m(\zeta+C)} - m - l} \right]. \tag{3.18}$$

Family 14: If $m = -n$, then

$$\Psi(\zeta) = -2 \arctan \left[\frac{le^l(\zeta+C)}{ne^{l(\zeta+C)} - 1} \right]. \tag{3.19}$$

Family 15: If $m = 0$ and $l = n$, then

$$\Psi(\zeta) = -2 \arctan \left[\frac{n(\zeta+C)+2}{n(\zeta+C)} \right]. \tag{3.20}$$

Family 16: If $l = 0$ and $m = n$, then

$$\Psi(\zeta) = 2 \arctan [n(\zeta+C)]. \tag{3.21}$$

Family 17: If $l = 0$ and $m = -n$, then

$$\Psi(\zeta) = -2 \arctan \left[\frac{1}{n(\zeta+C)} \right]. \tag{3.22}$$

Family 18: If $l = 0$ and $m = 0$, then

$$\Psi(\zeta) = n\zeta + C. \tag{3.23}$$

where $\alpha_i, \beta_i (i = 0, 1, 2, \dots, k), l, m, n$ are constants to be determined.

Step 3: A positive integer k is determined using homogeneous balance rule. If the constant k is not a positive integer, the following transformation is applied.

(a) If k is a fraction of the form $k = p/q$, then assume

$$U(\zeta) = v^{p/q}(\zeta). \tag{3.24}$$

Substitute Eq. (3.24) in Eq. (3.3), to determine the value of k using homogeneous balance rule.

(b) On the other hand if k is a negative number, then assume

$$U(\zeta) = v^k(\zeta). \tag{3.25}$$

Inserting Eq. (3.25) into Eq. (3.3), the value of k is determined by homogeneous balance rule.

Step 4: Eq. (3.4) is substituted into Eq. (3.3) using the value of k obtained in Step 3 and the coefficients of $(\tan(\Psi(\zeta)/2))^i$ and $(\cot(\Psi(\zeta)/2))^i$ are collected. Setting these coefficients to zero, a set of algebraic equations is attained in $\alpha_0, \alpha_i, \beta_i (i = 1, 2, \dots, k), l, m, n, \lambda$ and c .

Step 5: Putting the values of $\alpha_0, \alpha_1, \beta_1, \dots, \alpha_i, \beta_i, \lambda$ and c into Eq. (3.4) the closed form solution of Eq. (3.1) is obtained.

4. Exact solutions of quadratic time-fractional KFG equation

The reduced differential equation form of Eq. (2.1) is acquired by the complex-wave transform

$$\zeta = x - v \frac{t^\alpha}{\alpha}. \tag{4.1}$$

The application of Eq. (4.1) on Eq. (2.1) yields

$$(v^2 + \omega_1)q''(\zeta) + \omega_2 q(\zeta) + \omega_3 q^2(\zeta) = 0. \tag{4.2}$$

Using homogeneous balance rule, the integer $m = 2$ is obtained. Then, the formal solution by improved $\tan(\Psi(\zeta)/2)$ -expansion method for $m = 2$ becomes

$$u(\zeta) = \alpha_0 + \alpha_1 \left[\tan \left(\frac{\Psi(\zeta)}{2} \right) \right] + \alpha_2 \left[\tan \left(\frac{\Psi(\zeta)}{2} \right) \right]^2 + \beta_1 \left[\tan \left(\frac{\Psi(\zeta)}{2} \right) \right]^{-1} + \beta_2 \left[\tan \left(\frac{\Psi(\zeta)}{2} \right) \right]^{-2}. \tag{4.3}$$

Eq. (4.3) is inserted into Eq. (4.1) and the coefficients of $(\tan(\Psi(\zeta)/2))^i, (\cot(\Psi(\zeta)/2))^i$ are collected. Then, setting each coefficient to zero a system of algebraic equations is formed. As a result, the following sets of traveling wave solutions are obtained:

Set 1:

$$v = \sqrt{-\omega_1 + \frac{\omega_2}{l^2+m^2-n^2}}, \alpha_0 = -\frac{1}{2} \frac{(2l^2-m^2+n^2)\omega_2}{(l^2+m^2-n^2)\omega_3}, \alpha_1 = 0, \alpha_2 = 0, \beta_1 = -\frac{3\omega_2 l(m+n)}{(l^2+m^2-n^2)\omega_3}, \beta_2 = -\frac{3}{2} \frac{(m+n)^2 \omega_2}{(l^2+m^2-n^2)\omega_3}, \tag{4.4}$$

$$U(\zeta) = \alpha_0 + \beta_1 \left[\tan \left(\frac{\Psi(\zeta)}{2} \right) \right]^{-1} + \beta_2 \left[\tan \left(\frac{\Psi(\zeta)}{2} \right) \right]^{-2}. \tag{4.5}$$

By Eq. (4.5), the Families 1, 2, 3, 4, 5, 6 and 7 are written respectively, as

$$u_1(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} - \frac{\sqrt{n^2 - m^2 - l^2}}{m-n} \tan\left(\frac{\sqrt{n^2 - m^2 - l^2}}{2}(\zeta + C)\right) \right]^{-1} \tag{4.6}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} - \frac{\sqrt{n^2 - m^2 - l^2}}{m-n} \tan\left(\frac{\sqrt{n^2 - m^2 - l^2}}{2}(\zeta + C)\right) \right]^{-2},$$

$$u_2(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} + \frac{\sqrt{m^2 + l^2 - n^2}}{m-n} \tanh\left(\frac{\sqrt{m^2 + l^2 - n^2}}{2}(\zeta + C)\right) \right]^{-1} \tag{4.7}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} + \frac{\sqrt{m^2 + l^2 - n^2}}{m-n} \tanh\left(\frac{\sqrt{m^2 + l^2 - n^2}}{2}(\zeta + C)\right) \right]^{-2},$$

$$u_3(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m} + \frac{\sqrt{m^2 + l^2}}{m} \tanh\left(\frac{\sqrt{m^2 + l^2}}{2}(\zeta + C)\right) \right]^{-1} \tag{4.8}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m} + \frac{\sqrt{m^2 + l^2}}{m} \tanh\left(\frac{\sqrt{m^2 + l^2}}{2}(\zeta + C)\right) \right]^{-2},$$

$$u_4(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{-l}{n} + \frac{\sqrt{n^2 - l^2}}{n} \tan\left(\frac{\sqrt{n^2 - l^2}}{2}(\zeta + C)\right) \right]^{-1} \tag{4.9}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{-l}{n} + \frac{\sqrt{n^2 - l^2}}{n} \tan\left(\frac{\sqrt{n^2 - l^2}}{2}(\zeta + C)\right) \right]^{-2},$$

$$u_5(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\sqrt{\frac{m+n}{m-n}} \tanh\left(\frac{\sqrt{m^2 - n^2}}{2}(\zeta + C)\right) \right]^{-1} \tag{4.10}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\sqrt{\frac{m+n}{m-n}} \tanh\left(\frac{\sqrt{m^2 - n^2}}{2}(\zeta + C)\right) \right]^{-2},$$

$$u_6(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{e^{2m(\zeta+C)} - 1}{e^{2m(\zeta+C)} + 1}, \frac{2e^{m(\zeta+C)}}{e^{2m(\zeta+C)} + 1}\right)\right) \right]^{-1} \tag{4.11}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{e^{2m(\zeta+C)} - 1}{e^{2m(\zeta+C)} + 1}, \frac{2e^{m(\zeta+C)}}{e^{2m(\zeta+C)} + 1}\right)\right) \right]^{-2},$$

$$u_7(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{2e^{l(\zeta+C)}}{e^{2l(\zeta+C)} + 1}, \frac{e^{2l(\zeta+C)} - 1}{e^{2l(\zeta+C)} + 1}\right)\right) \right]^{-1} \tag{4.12}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{2e^{l(\zeta+C)}}{e^{2l(\zeta+C)} + 1}, \frac{e^{2l(\zeta+C)} - 1}{e^{2l(\zeta+C)} + 1}\right)\right) \right]^{-2},$$

where $\zeta = x - \left(\sqrt{-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}}\right) \frac{t^x}{x}$.

The above solutions are valid for $(-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}) > 0$.

Using Eq. (4.5), the Families 9, 10, 11, 12, 13 and 14 can be presented respectively, as

$$u_8(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} [e^{ll(\zeta+C)} - 1]^{-1} \tag{4.13}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} [e^{ll(\zeta+C)} - 1]^{-2},$$

$$u_9(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[-\frac{e^{ll(\zeta+C)}}{-1 + e^{ll(\zeta+C)}} \right]^{-1} \tag{4.14}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[-\frac{e^{ll(\zeta+C)}}{-1 + e^{ll(\zeta+C)}} \right]^{-2},$$

$$u_{10}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[-\frac{(l+m)e^{m(\zeta+C)} - 1}{(l-m)e^{m(\zeta+C)} - 1} \right]^{-1} \tag{4.15}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[-\frac{(l+m)e^{m(\zeta+C)} - 1}{(l-m)e^{m(\zeta+C)} - 1} \right]^{-2},$$

$$u_{11}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{(m+n)e^{m(\zeta+C)} + 1}{(m-n)e^{m(\zeta+C)} - 1} \right]^{-1} \tag{4.16}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{(m+n)e^{m(\zeta+C)} + 1}{(m-n)e^{m(\zeta+C)} - 1} \right]^{-2},$$

$$u_{12}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{e^{m(\zeta+C)} + m - l}{e^{m(\zeta+C)} - m - l} \right]^{-1} \tag{4.17}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{e^{m(\zeta+C)} + m - l}{e^{m(\zeta+C)} - m - l} \right]^{-2},$$

$$u_{13}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[-\frac{le^{l(\zeta+C)}}{ne^{l(\zeta+C)} - 1} \right]^{-1} \tag{4.18}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[-\frac{le^{l(\zeta+C)}}{ne^{l(\zeta+C)} - 1} \right]^{-2},$$

where $\zeta = x - \left(\sqrt{-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}}\right) \frac{t^x}{x}$.

All the above solutions hold true for $(-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}) > 0$.

Using Eq. (4.5), Family 18 is reported, as

$$u_{14}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} - \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{n\zeta+C}{2}\right) \right]^{-1} \tag{4.19}$$

$$- \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{n\zeta+C}{2}\right) \right]^{-2},$$

where $\zeta = x - \left(\sqrt{-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}}\right) \frac{t^x}{x}$.

The constraint condition to be satisfied by the above solution is $(-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}) > 0$.

Set 2:

$$v = \sqrt{-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}}, \quad \alpha_0 = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3}, \quad \beta_1 = 0, \tag{4.20}$$

$$\alpha_1 = \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3}, \quad \alpha_2 = -\frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3}, \quad \beta_2 = 0,$$

$$U(\zeta) = \alpha_0 + \alpha_1 \left[\tan\left(\frac{\Psi(\zeta)}{2}\right) \right] + \alpha_2 \left[\tan\left(\frac{\Psi(\zeta)}{2}\right) \right]^2. \tag{4.21}$$

By Eq. (4.21), the Families 1, 2, 3, 4, 5, 6 and 7 are respectively given, as

$$u_{15}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} - \frac{\sqrt{n^2 - m^2 - l^2}}{m-n} \tan\left(\frac{\sqrt{n^2 - m^2 - l^2}}{2}(\zeta + C)\right) \right] \tag{4.22}$$

$$- \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} - \frac{\sqrt{n^2 - m^2 - l^2}}{m-n} \tan\left(\frac{\sqrt{n^2 - m^2 - l^2}}{2}(\zeta + C)\right) \right]^2,$$

$$u_{16}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} + \frac{\sqrt{m^2 + l^2 - n^2}}{m-n} \tanh\left(\frac{\sqrt{m^2 + l^2 - n^2}}{2}(\zeta + C)\right) \right] \tag{4.23}$$

$$- \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} + \frac{\sqrt{m^2 + l^2 - n^2}}{m-n} \tanh\left(\frac{\sqrt{m^2 + l^2 - n^2}}{2}(\zeta + C)\right) \right]^2,$$

$$u_{17}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m} + \frac{\sqrt{m^2 + l^2}}{m} \tanh\left(\frac{\sqrt{m^2 + l^2}}{2}(\zeta + C)\right) \right] \tag{4.24}$$

$$- \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m} + \frac{\sqrt{m^2 + l^2}}{m} \tanh\left(\frac{\sqrt{m^2 + l^2}}{2}(\zeta + C)\right) \right]^2,$$

$$u_{18}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{-l}{n} + \frac{\sqrt{n^2 - l^2}}{n} \tan\left(\frac{\sqrt{n^2 - l^2}}{2}(\zeta + C)\right) \right] \tag{4.25}$$

$$- \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{-l}{n} + \frac{\sqrt{n^2 - l^2}}{n} \tan\left(\frac{\sqrt{n^2 - l^2}}{2}(\zeta + C)\right) \right]^2,$$

$$u_{19}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\sqrt{\frac{m+n}{m-n}} \tanh\left(\frac{\sqrt{m^2 - n^2}}{2}(\zeta + C)\right) \right] - \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\sqrt{\frac{m+n}{m-n}} \tanh\left(\frac{\sqrt{m^2 - n^2}}{2}(\zeta + C)\right) \right]^2, \tag{4.26}$$

$$u_{20}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{e^{2m(\zeta+C)} - 1}{e^{2l(\zeta+C)} + 1}, \frac{2e^{m(\zeta+C)}}{e^{2l(\zeta+C)} + 1}\right)\right) \right] - \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{e^{2m(\zeta+C)} - 1}{e^{2l(\zeta+C)} + 1}, \frac{2e^{m(\zeta+C)}}{e^{2l(\zeta+C)} + 1}\right)\right) \right]^2, \tag{4.27}$$

$$u_{21}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{2e^{l(\zeta+C)}}{e^{2l(\zeta+C)} + 1}, \frac{e^{2l(\zeta+C)} - 1}{e^{2l(\zeta+C)} + 1}\right)\right) \right] - \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{2e^{l(\zeta+C)}}{e^{2l(\zeta+C)} + 1}, \frac{e^{2l(\zeta+C)} - 1}{e^{2l(\zeta+C)} + 1}\right)\right) \right]^2, \tag{4.28}$$

where $\zeta = x - \left(\sqrt{-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}}\right) \frac{l^2}{x}$.

All the above solutions are valid for $(-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}) > 0$.

By Eq. (4.21), the Families 9, 10, 11, 12, 13 and 14 can be written respectively, as

$$u_{22}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} [e^{il(\zeta+C)} - 1] - \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} [e^{il(\zeta+C)} - 1]^2, \tag{4.29}$$

$$u_{23}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[-\frac{e^{il(\zeta+C)}}{-1 + e^{il(\zeta+C)}} \right] - \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[-\frac{e^{il(\zeta+C)}}{-1 + e^{il(\zeta+C)}} \right]^2, \tag{4.30}$$

$$u_{24}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{(l+m)e^{im(\zeta+C)} - 1}{(l-m)e^{im(\zeta+C)} - 1} \right] - \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{(l+m)e^{im(\zeta+C)} - 1}{(l-m)e^{im(\zeta+C)} - 1} \right]^2, \tag{4.31}$$

$$u_{25}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{(m+n)e^{m(\zeta+C)} + 1}{(m-n)e^{m(\zeta+C)} - 1} \right] - \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{(m+n)e^{m(\zeta+C)} + 1}{(m-n)e^{m(\zeta+C)} - 1} \right]^2, \tag{4.32}$$

$$u_{26}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{e^{m(\zeta+C)} + m - l}{e^{m(\zeta+C)} - m - l} \right] - \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{e^{m(\zeta+C)} + m - l}{e^{m(\zeta+C)} - m - l} \right]^2, \tag{4.33}$$

$$u_{27}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[-\frac{le^{l(\zeta+C)}}{ne^{l(\zeta+C)} - 1} \right] - \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[-\frac{le^{l(\zeta+C)}}{ne^{l(\zeta+C)} - 1} \right]^2, \tag{4.34}$$

where $\zeta = x - \left(\sqrt{-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}}\right) \frac{l^2}{x}$.

The above solutions are true for $(-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}) > 0$.

Using Eq. (4.21), Family 18 is given, as

$$u_{28}(\zeta) = -\frac{1}{2} \frac{(2l^2 - m^2 + n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m-n)}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{n\zeta+C}{2}\right) \right] - \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{n\zeta+C}{2}\right) \right]^2, \tag{4.35}$$

where $\zeta = x - \left(\sqrt{-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}}\right) \frac{l^2}{x}$.

The above extracted solutions are valid for $(-\omega_1 + \frac{\omega_2}{l^2 + m^2 - n^2}) > 0$.

Set 3:

$$v = \sqrt{-\omega_1 - \frac{\omega_2}{l^2 + m^2 - n^2}}, \quad \alpha_0 = -\frac{3}{2} \frac{(m^2 - n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3}, \quad \alpha_1 = 0, \tag{4.36}$$

$$\alpha_2 = 0, \quad \beta_1 = \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3}, \quad \beta_2 = \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3},$$

$$U(\zeta) = \alpha_0 + \beta_1 \left[\tan\left(\frac{\Psi(\zeta)}{2}\right) \right]^{-1} + \beta_2 \left[\tan\left(\frac{\Psi(\zeta)}{2}\right) \right]^{-2}. \tag{4.37}$$

By Eq. (4.37), the Families 1, 2, 3, 4, 5, 6 and 7 can be presented respectively, as

$$u_{29}(\zeta) = -\frac{3}{2} \frac{(m^2 - n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} - \frac{\sqrt{n^2 - m^2 - l^2}}{m-n} \tan\left(\frac{\sqrt{n^2 - m^2 - l^2}}{2}(\zeta + C)\right) \right]^{-1} - \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} - \frac{\sqrt{n^2 - m^2 - l^2}}{m-n} \tan\left(\frac{\sqrt{n^2 - m^2 - l^2}}{2}(\zeta + C)\right) \right]^{-2}, \tag{4.38}$$

$$u_{30}(\zeta) = -\frac{3}{2} \frac{(m^2 - n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} + \frac{\sqrt{m^2 + l^2 - n^2}}{m-n} \tanh\left(\frac{\sqrt{m^2 + l^2 - n^2}}{2}(\zeta + C)\right) \right]^{-1} - \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m-n} + \frac{\sqrt{m^2 + l^2 - n^2}}{m-n} \tanh\left(\frac{\sqrt{m^2 + l^2 - n^2}}{2}(\zeta + C)\right) \right]^{-2}, \tag{4.39}$$

$$u_{31}(\zeta) = -\frac{3}{2} \frac{(m^2 - n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m} + \frac{\sqrt{m^2 + l^2}}{m} \tanh\left(\frac{\sqrt{m^2 + l^2}}{2}(\zeta + C)\right) \right]^{-1} - \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{m} + \frac{\sqrt{m^2 + l^2}}{m} \tanh\left(\frac{\sqrt{m^2 + l^2}}{2}(\zeta + C)\right) \right]^{-2}, \tag{4.40}$$

$$u_{32}(\zeta) = -\frac{3}{2} \frac{(m^2 - n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{n} + \frac{\sqrt{n^2 - l^2}}{n} \tan\left(\frac{\sqrt{n^2 - l^2}}{2}(\zeta + C)\right) \right]^{-1} - \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\frac{l}{n} + \frac{\sqrt{n^2 - l^2}}{n} \tan\left(\frac{\sqrt{n^2 - l^2}}{2}(\zeta + C)\right) \right]^{-2}, \tag{4.41}$$

$$u_{33}(\zeta) = -\frac{3}{2} \frac{(m^2 - n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\sqrt{\frac{m+n}{m-n}} \tanh\left(\frac{\sqrt{m^2 - n^2}}{2}(\zeta + C)\right) \right]^{-1} - \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\sqrt{\frac{m+n}{m-n}} \tanh\left(\frac{\sqrt{m^2 - n^2}}{2}(\zeta + C)\right) \right]^{-2}, \tag{4.42}$$

$$u_{34}(\zeta) = -\frac{3}{2} \frac{(m^2 - n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{e^{2m(\zeta+C)} - 1}{e^{2m(\zeta+C)} + 1}, \frac{2e^{m(\zeta+C)}}{e^{2m(\zeta+C)} + 1}\right)\right) \right]^{-1} - \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{e^{2m(\zeta+C)} - 1}{e^{2m(\zeta+C)} + 1}, \frac{2e^{m(\zeta+C)}}{e^{2m(\zeta+C)} + 1}\right)\right) \right]^{-2}, \tag{4.43}$$

$$u_{35}(\zeta) = -\frac{3}{2} \frac{(m^2 - n^2)\omega_2}{(l^2 + m^2 - n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{2e^{l(\zeta+C)}}{e^{2l(\zeta+C)} + 1}, \frac{e^{2l(\zeta+C)} - 1}{e^{2l(\zeta+C)} + 1}\right)\right) \right]^{-1} - \frac{3}{2} \frac{(m+n)^2\omega_2}{(l^2 + m^2 - n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{2e^{l(\zeta+C)}}{e^{2l(\zeta+C)} + 1}, \frac{e^{2l(\zeta+C)} - 1}{e^{2l(\zeta+C)} + 1}\right)\right) \right]^{-2}, \tag{4.44}$$

where $\zeta = x - \left(\sqrt{-\omega_1 - \frac{\omega_2}{l^2 + m^2 - n^2}}\right) \frac{l^2}{x}$.

All the above solutions are valid for $(-\omega_1 - \frac{\omega_2}{l^2 + m^2 - n^2}) > 0$.

With the help of Eq. (4.21), the Families 9, 10, 11, 12, 13 and 14 can be respectively noted, as

$$u_{36}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(\ell^2+m^2-n^2)\omega_3} [e^{i\ell(\zeta+C)} - 1]^{-1} + \frac{3}{2} \frac{(m+n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} [e^{i\ell(\zeta+C)} - 1]^{-2}, \tag{4.45}$$

$$u_{37}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(\ell^2+m^2-n^2)\omega_3} \left[-\frac{e^{i\ell(\zeta+C)}}{-1+e^{i\ell(\zeta+C)}} \right]^{-1} + \frac{3}{2} \frac{(m+n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[-\frac{e^{i\ell(\zeta+C)}}{-1+e^{i\ell(\zeta+C)}} \right]^{-2}, \tag{4.46}$$

$$u_{38}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{(l+m)e^{m(\zeta+C)}-1}{(l-m)e^{m(\zeta+C)}-1} \right]^{-1} + \frac{3}{2} \frac{(m+n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{(l+m)e^{m(\zeta+C)}-1}{(l-m)e^{m(\zeta+C)}-1} \right]^{-2}, \tag{4.47}$$

$$u_{39}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{(m+n)e^{m(\zeta+C)}+1}{(m-n)e^{m(\zeta+C)}-1} \right]^{-1} + \frac{3}{2} \frac{(m+n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{(m+n)e^{m(\zeta+C)}+1}{(m-n)e^{m(\zeta+C)}-1} \right]^{-2}, \tag{4.48}$$

$$u_{40}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{e^{m(\zeta+C)}+m-l}{e^{m(\zeta+C)}-m-l} \right]^{-1} + \frac{3}{2} \frac{(m+n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{e^{m(\zeta+C)}+m-l}{e^{m(\zeta+C)}-m-l} \right]^{-2}, \tag{4.49}$$

$$u_{41}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(\ell^2+m^2-n^2)\omega_3} \left[-\frac{\ell e^{\ell(\zeta+C)}}{n e^{\ell(\zeta+C)}-1} \right]^{-1} + \frac{3}{2} \frac{(m+n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[-\frac{\ell e^{\ell(\zeta+C)}}{n e^{\ell(\zeta+C)}-1} \right]^{-2}, \tag{4.50}$$

where $\zeta = x - \left(\sqrt{-\omega_1 - \frac{\omega_2}{\ell^2+m^2-n^2}} \right) \frac{\ell x}{\alpha}$.

All the above solutions are valid for $(-\omega_1 - \frac{\omega_2}{\ell^2+m^2-n^2}) > 0$.

Using Eq. (4.37), Family 18 is reported, as

$$u_{42}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} + \frac{3\omega_2 l(m+n)}{(\ell^2+m^2-n^2)\omega_3} [\tan(\frac{n\zeta+C}{2})]^{-1} + \frac{3}{2} \frac{(m+n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} [\tan(\frac{n\zeta+C}{2})]^{-2}, \tag{4.51}$$

where $\zeta = x - \left(\sqrt{-\omega_1 - \frac{\omega_2}{\ell^2+m^2-n^2}} \right) \frac{\ell x}{\alpha}$.

The above solution holds true for $(-\omega_1 - \frac{\omega_2}{\ell^2+m^2-n^2}) > 0$.

Set 4:

$$v = \sqrt{-\omega_1 - \frac{\omega_2}{\ell^2+m^2-n^2}}, \quad \alpha_0 = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3}, \quad \beta_1 = 0, \tag{4.52}$$

$$\alpha_1 = -\frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3}, \quad \alpha_2 = \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3}, \quad \beta_2 = 0,$$

$$U(\zeta) = \alpha_0 + \alpha_1 \left[\tan\left(\frac{\Psi(\zeta)}{2}\right) \right] + \alpha_2 \left[\tan\left(\frac{\Psi(\zeta)}{2}\right) \right]^2. \tag{4.53}$$

Using Eq. (4.53), the Families 1, 2, 3, 4, 5, 6 and 7 can be written respectively, as

$$u_{43}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{1}{m-n} - \frac{\sqrt{n^2-m^2-\ell^2}}{m-n} \tan\left(\frac{\sqrt{n^2-m^2-\ell^2}}{2}(\zeta+C)\right) \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{1}{m-n} - \frac{\sqrt{n^2-m^2-\ell^2}}{m-n} \tan\left(\frac{\sqrt{n^2-m^2-\ell^2}}{2}(\zeta+C)\right) \right]^2, \tag{4.54}$$

$$u_{44}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{1}{m-n} + \frac{\sqrt{m^2+\ell^2-n^2}}{m-n} \tanh\left(\frac{\sqrt{m^2+\ell^2-n^2}}{2}(\zeta+C)\right) \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{1}{m-n} + \frac{\sqrt{m^2+\ell^2-n^2}}{m-n} \tanh\left(\frac{\sqrt{m^2+\ell^2-n^2}}{2}(\zeta+C)\right) \right]^2, \tag{4.55}$$

$$u_{45}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{1}{m} + \frac{\sqrt{m^2+\ell^2}}{m} \tanh\left(\frac{\sqrt{m^2+\ell^2}}{2}(\zeta+C)\right) \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{1}{m} + \frac{\sqrt{m^2+\ell^2}}{m} \tanh\left(\frac{\sqrt{m^2+\ell^2}}{2}(\zeta+C)\right) \right]^2, \tag{4.56}$$

$$u_{46}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{1}{n} + \frac{\sqrt{n^2-\ell^2}}{n} \tan\left(\frac{\sqrt{n^2-\ell^2}}{2}(\zeta+C)\right) \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{1}{n} + \frac{\sqrt{n^2-\ell^2}}{n} \tan\left(\frac{\sqrt{n^2-\ell^2}}{2}(\zeta+C)\right) \right]^2, \tag{4.57}$$

$$u_{47}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[\sqrt{\frac{m+n}{m-n}} \tanh\left(\frac{\sqrt{m^2-n^2}}{2}(\zeta+C)\right) \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\sqrt{\frac{m+n}{m-n}} \tanh\left(\frac{\sqrt{m^2-n^2}}{2}(\zeta+C)\right) \right]^2, \tag{4.58}$$

$$u_{48}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{e^{2m(\zeta+C)}-1}{e^{2m(\zeta+C)}+1}, \frac{2e^{m(\zeta+C)}}{e^{2m(\zeta+C)}+1}\right)\right) \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{e^{2m(\zeta+C)}-1}{e^{2m(\zeta+C)}+1}, \frac{2e^{m(\zeta+C)}}{e^{2m(\zeta+C)}+1}\right)\right) \right]^2, \tag{4.59}$$

$$u_{49}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{2e^{i\ell(\zeta+C)}}{e^{2i\ell(\zeta+C)}+1}, \frac{e^{2i\ell(\zeta+C)}-1}{e^{2i\ell(\zeta+C)}+1}\right)\right) \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\tan\left(\frac{1}{2} \arctan\left(\frac{2e^{i\ell(\zeta+C)}}{e^{2i\ell(\zeta+C)}+1}, \frac{e^{2i\ell(\zeta+C)}-1}{e^{2i\ell(\zeta+C)}+1}\right)\right) \right]^2, \tag{4.60}$$

where $\zeta = x - \left(\sqrt{-\omega_1 - \frac{\omega_2}{\ell^2+m^2-n^2}} \right) \frac{\ell x}{\alpha}$.

All the preceding solutions are valid for $(-\omega_1 - \frac{\omega_2}{\ell^2+m^2-n^2}) > 0$.

By Eq. (4.53), the Families 9, 10, 11, 12, 13 and 14 can be respectively reported, as

$$u_{50}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} [e^{i\ell(\zeta+C)} - 1] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} [e^{i\ell(\zeta+C)} - 1]^2, \tag{4.61}$$

$$u_{51}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[-\frac{e^{i\ell(\zeta+C)}}{-1+e^{i\ell(\zeta+C)}} \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[-\frac{e^{i\ell(\zeta+C)}}{-1+e^{i\ell(\zeta+C)}} \right]^2, \tag{4.62}$$

$$u_{52}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{(l+m)e^{m(\zeta+C)}-1}{(l-m)e^{m(\zeta+C)}-1} \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{(l+m)e^{m(\zeta+C)}-1}{(l-m)e^{m(\zeta+C)}-1} \right]^2, \tag{4.63}$$

$$u_{53}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{(m+n)e^{m(\zeta+C)}+1}{(m-n)e^{m(\zeta+C)}-1} \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{(m+n)e^{m(\zeta+C)}+1}{(m-n)e^{m(\zeta+C)}-1} \right]^2, \tag{4.64}$$

$$u_{54}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{e^{m(\zeta+C)}+m-l}{e^{m(\zeta+C)}-m-l} \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[\frac{e^{m(\zeta+C)}+m-l}{e^{m(\zeta+C)}-m-l} \right]^2, \tag{4.65}$$

$$u_{55}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(\ell^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(\ell^2+m^2-n^2)\omega_3} \left[-\frac{\ell e^{\ell(\zeta+C)}}{n e^{\ell(\zeta+C)}-1} \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(\ell^2+m^2-n^2)\omega_3} \left[-\frac{\ell e^{\ell(\zeta+C)}}{n e^{\ell(\zeta+C)}-1} \right]^2, \tag{4.66}$$

where $\zeta = x - \left(\sqrt{-\omega_1 - \frac{\omega_2}{\ell^2+m^2-n^2}} \right) \frac{\ell x}{\alpha}$.

All the above solutions hold true for $(-\omega_1 - \frac{\omega_2}{l^2+m^2-n^2}) > 0$.

Using Eq. (4.53), Family 18 is noted, as

$$u_{56}(\zeta) = -\frac{3}{2} \frac{(m^2-n^2)\omega_2}{(l^2+m^2-n^2)\omega_3} - \frac{3\omega_2 l(m-n)}{(l^2+m^2-n^2)\omega_3} \left[\tan\left(\frac{n\zeta+C}{2}\right) \right] + \frac{3}{2} \frac{(m-n)^2\omega_2}{(l^2+m^2-n^2)\omega_3} \left[\tan\left(\frac{n\zeta+C}{2}\right) \right]^2, \tag{4.67}$$

where $\zeta = x - \left(\sqrt{-\omega_1 - \frac{\omega_2}{l^2+m^2-n^2}}\right) \frac{t^\alpha}{\alpha}$.

The above extracted solution is valid for $(-\omega_1 - \frac{\omega_2}{l^2+m^2-n^2}) > 0$.

5. Graphical representations of the obtained solutions

The graphical representation of solutions retrieved by the proposed method is usually as significant as the computation. It helps the reader to grab maximum amount of information of the model. In this section, the behavior of some solutions under fractional effect has been examined using their 3D plots and line plots. The graphical illustration of solutions is given for suitable choices of parameters l, m and n . Figure 1 shows graphical behavior of $u_{19}(x, t)$ that depicts a W-shaped soliton. The corresponding line graph exhibits changing patterns of the solution for two different values of fractional parameter α . Figure 2 interprets singular bright soliton for $u_{39}(x, t)$. Figure 3 depicts singular soliton for $u_{46}(x, t)$ and Figure 4 illustrates a bright soliton for $u_{54}(x, t)$. All these solutions behave differently upon opting different values of α over the interval $(0, 1)$. This can be clearly visualized from the line graphs.

6. Conclusion

This paper addressed the conformable time-fractional Klien-Fock-Gordon equation. The proposed model was examined for quadratic nonlinearity. The conformable derivative was applied on the proposed model for investigating the fractional effects. The conformable derivative opens new horizons for the researchers and scientists to obtain analytical and numerical solutions of problems in science and engineering. The traveling wave transformation along with fractional operator was applied, for transforming the proposed fractional model into an ODE. After obtaining ODE, the improved $\tan(\Psi(\zeta)/2)$ -expansion method was employed for the extraction of soliton solutions. New trigonometric, hyperbolic and rational solutions were derived. On comparing our derived results with the results reported in Veeresha et al. (2020) and Alam et al. (2021), it was observed that abundant new traveling wave solutions were obtained. Various bright soliton, W-shaped soliton, singular soliton and periodic wave solutions were reported in this article with fractional effects. The dynamical behavior of the obtained solutions was discussed with the help of 3D plots and 2D line plots by choosing the specific values of arbitrary parameters. It was noticed that the wave profile was changed by taking different values of fractional parameter $\alpha, 0 < \alpha < 1$. It is worth mentioning here that the applied approach is efficient, versatile and powerful to acquire the solitons with real-world applications. The obtained results may be useful for further studies in mathematical physics and engineering.




Fig. 1. The Graph for $|u_{19}(x, t)|$ at $l = 0, m = 3, n = 1, \omega_1 = \omega_2 = -1, \omega_3 = 2, C = 1$.




Fig. 2. The Graph for $|u_{39}(x, t)|$ at $l = 2, m = 3, n = 2, \omega_1 = \omega_2 = -1, \omega_3 = 2, C = 1$.




Fig. 3. The Graph for $|u_{46}(x, t)|$ at $l = 1, m = 0, n = 2, \omega_1 = \omega_2 = -1, \omega_3 = 2, C = 1$.




Fig. 4. The graph for $|u_{54}(x, t)|$ at $l = 4, m = -5, n = -4, \omega_1 = \omega_2 = -1, \omega_3 = 2, C = 1$.

Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

References

- Aero, E.L., Bulygin, A.N., Pavlov, Y.V., 2013. Functionally invariant solutions of nonlinear Klein-Fock-Gordon equation. *Appl. Math. Comput.* 223, 160–166.
- Akgül, A., 2018. A novel method for a fractional derivative with non-local and non-singular kernel. *Chaos Solitons Fractals* 114, 478–482.
- Akram, G., Sadaf, M., Arshed, S., Sameen, F., 2021. Bright, dark, kink, singular and periodic soliton solutions of Lakshmanan-Persezian-Daniel model by generalized projective Riccati equations method. *Optik: Int. J. Light Electron Optics* 241, 167051.
- Akram, G., Sadaf, M., Dawood, M., 2021. Kink, periodic, dark and bright soliton solutions of Kudryashov-Sinelshchikov equation using the improved $\tan(\phi(\eta)/2)$ -expansion technique. *Opt. Quant. Electron.* 53 (8), 1–25.
- Alam, L.M.B., Jiang, X., Mamun, A.A., 2021. Exact and explicit travelling traveling wave solution to the time-fractional phi-four and $(2+1)$ -dimensional CBS equations using the modified extended \tanh -function method in mathematical physics. *Partial Differ. Eqs. Appl. Math.* 4, 100039.
- Alam, M.N., Bonyah, E., Fayz-Al-Asad, M., Osman, M.S., Abualnaja, K.M., 2021. Stable and functional solutions of the Klein-Fock-Gordon equation with nonlinear physical phenomena. *Phys. Scr.* 96, (5) 055207.
- Álvarez, H.H.O., Jiménez-García, F.N., Agudelo, A.E.P., 2012. Some exact solutions for a Klein-Gordon equation. *Ingeniería y Ciencia* 8 (16), 57–70.
- Ananna, S.N., Mamun, A.A., 2020. Solution of Volterra's integro-differential equations by using variational iteration method. *Int. J. Sci. Eng. Res.* 11 (3), 1–9.
- Aruna, K., Kanth, A.S.V.R., 2014. Two-dimensional differential transform method and modified differential transform method for solving nonlinear fractional Klein-Gordon equation. *National Acad. Sci. Lett.* 37 (2), 163–171.
- Asaduzzaman, M., Kilicman, A., Ali, M.Z., Sapar, S.H., 2020. Fixed point theorem based solvability of 2-dimensional dissipative cubic nonlinear Klein-Gordon equation. *Mathematics* 8 (7), 1103.
- Elboree, M.K., 2020. Optical solitons for complex Ginzburg-Landau model with Kerr, quadratic-cubic and parabolic law nonlinearities in nonlinear optics by the $\exp(-\phi(\xi))$ expansion method. *Pramana* 94 (1), 1–8.
- Hosseini, K., Mirzazadeh, M., Gómez-Aguilar, J.F., 2020. Soliton solutions of the Sasa-Satsuma equation in the monomode optical fibers including the beta-derivatives. *Optik: Int. J. Light Electron Optics* 224, 165425.
- Hosseini, K., Sadri, K., Mirzazadeh, M., Chu, Y.M., Ahmadian, A., Pansera, B.A., Salahshour, S., 2021. A high-order nonlinear Schrödinger equation with the weak non-local nonlinearity and its optical solitons. *Results Phys.* 23, 104035.
- Hosseini, K., Salahshour, S., Mirzazadeh, M., Ahmadian, A., Baleanu, D., Khoshrang, A., 2021. The $(2+1)$ -dimensional Heisenberg ferromagnetic spin chain equation: its solitons and Jacobi elliptic function solutions. *Eur. Phys. J. Plus* 136, 206.
- Kanth, A.S.V.R., Aruna, K., 2009. Differential transform method for solving the linear and nonlinear Klein-Gordon equation. *Comput. Phys. Commun.* 180 (5), 708–711.
- Khalil, R., Al Horani, M., Yousef, A., Sababheh, M., 2014. A new definition of fractional derivative. *J. Comput. Appl. Math.* 264, 65–70.
- Khan, N.A., Rasheed, S., 2015. Analytical solutions of linear and nonlinear Klein-Fock-Gordon equation. *Nonlinear Eng.* 4 (1), 43–48.
- Khan, U., Irshad, A., Ahmed, N., Mohyud-Din, S., 2018. Improved $\tan(\phi(\xi)/2)$ -expansion method for $(2+1)$ -dimensional KP-BBM wave equation. *Opt. Quant. Electron.* 50 (3), 1–22.
- Kragh, H., 1984. Equation with the many fathers. *The Klein-Gordon equation in 1926. Am. J. Phys.* 52 (11), 1024–1033.
- Lu, B., 2012. The first integral method for some time-fractional differential equations. *J. Math. Anal. Appl.* 395 (2), 684–693.
- Mahak, N., Akram, G., 2019. Exact solitary wave solutions by extended rational sine-cosine and extended rational sinh-cosh techniques. *Phys. Scr.* 94, (11) 115212.
- Mamun, A.A., Ali, M.S., Miah, M.M., 2018. A study on an analytic solution 1D heat equation of a parabolic partial differential equation and implement in computer programming. *Int. J. Sci. Eng. Res.* 9, 913–921.
- Mamun, A.A., An, T., Shahen, N.H.M., Ananna, S.N., Foyjonnesa, M.F., Hossain, Muazu, T., 2020. Exact and explicit travelling-wave solutions to the family of new 3D fractional WBBM equations in mathematical physics. *Results Phys.* 19, 103517.
- Mamun, A.A., Ananna, S.N., An, T., Shahen, N.H.M., Asaduzzaman, M., Foyjonnesa, 2021. Dynamical behavior of travelling wave solutions to the conformable time-fractional modified Liouville and mRLW equations in water wave mechanics. *Heliyon* 7 (8), e07704.
- Mamun, A.A., Ananna, S.N., An, T., Shahen, N.H.M., Foyjonnesa, 2021. Periodic and solitary wave solutions to a family of new 3D fractional WBBM equations using the two-variable method. *Partial Differ. Eqs. Appl. Math.* 3, 100033.
- Mamun, A.A., Asaduzzaman, M., 2019. Solution of seventh order boundary value problem by using variational iteration method. *Int. J. Math. Comput. Sci.* 5 (1), 6–12.
- Mamun, A.A., Asaduzzaman, M., Ananna, S.N., 2019. Solution of eighth order boundary value problem by using variational iteration method. *Int. J. Math. Comput. Sci.* 5 (1), 13–23.
- Mamun, A.A., Shahen, N.H.M., Ananna, S.N., Asaduzzaman, M., Foyjonnesa, 2021. Solitary and periodic wave solutions to the family of new 3D fractional WBBM equations in mathematical physics. *Heliyon* 7 (7), e07483.
- Manafian, J., Foroutan, M., 2017. Application of $\tan(\phi(\xi)/2)$ -expansion method for the time-fractional Kuramoto-Sivashinsky equation. *Opt. Quant. Electron.* 49 (8), 1–18.
- Manafian, J., Lakestani, M., 2015. New improvement of the expansion methods for solving the generalized Fitzhugh-Nagumo equation with time-dependent coefficients. *Int. J. Eng. Math.* 2015, 107978.
- Manafian, J., Lakestani, M., 2016. Application of $\tan(\phi/2)$ -expansion method for solving the Biswas-Milovic equation for Kerr law nonlinearity. *Optik: Int. J. Light Electron Opt.* 127 (4), 2040–2054.
- Manafian, J., Lakestani, M., 2016. Optical soliton solutions for the Gerdjikov-Ivanov model via $\tan(\phi/2)$ -expansion method. *Optik: Int. J. Light Electron Optics* 127 (20), 9603–9620.
- Özkan, Y.S., Yaşar, E., 2020. On the exact solutions of nonlinear evolution equations by the improved $\tan(\phi/2)$ -expansion method. *Pramana* 94, 37.
- Sadaf, M., Akram, G., 2020. A Legendre-homotopy method for the solutions of higher order boundary value problems. *J. King Saud Univ.-Sci.* 32 (1), 537–543.
- Sajid, N., Akram, G., 2020. Novel solutions of Biswas-Arshed equation by newly ϕ_6 -model expansion method. *Optik: Int. J. Light Electron Optics* 211, 164564.
- Sajid, N., Akram, G., 2021. Solitary dynamics of longitudinal wave equation arises in magneto-electro-elastic circular rod. *Mod. Phys. Lett. B* 35 (5), 2150086.
- Shahen, N.H.M., Foyjonnesa, M.S., Ali, A.A., Mamun, Rahman, M.M., 2021. Interaction among lump, periodic, and kink solutions with dynamical analysis to the conformable time-fractional Phi-four equation. *Partial Differential Equations. Appl. Math.* 4, 100038.
- Shahen, N.H.M., Foyjonnesa, Ali, M.S., Bashar, M.H., Mamun, A.A., 2020. Dynamical analysis of long-wave phenomena for the nonlinear conformable space-time fractional $(2+1)$ -dimensional AKNS equation in water wave mechanics. *Heliyon* 6 (10), e05276.
- Veerasha, P., Prakasha, D.G., Kumar, D., 2020. An efficient technique for nonlinear time-fractional Klein-Fock-Gordon equation. *Appl. Math. Comput.* 364, 124637.
- Zheng, Z., Zhao, W., Dai, H., 2019. A new definition of fractional derivative. *Int. J. Non-Linear Mech.* 108, 1–6.